

B45S Bevelling machine



Watch our machines in action on:
www.youtube.com/euroboorbv

Technical data

Spindle speed rpm	1,750 - 5,250 rpm
Max. bevel width	6 mm (45° angle)
Min. diameter for inside bevels	20 mm
Spindle thread	M12 x 1.75
Length	458 mm
Width	137 mm
Height	300 mm
Weight	4.4 kg
Motor power	1,250 W
Voltage	110 - 120 V / 60 Hz
	220 - 240 V / 50 - 60 Hz

Benefits

- Ergonomic main handle, user-friendly controls, spindle speed adjustment range for various materials
- Quick and easy bevel width adjustment
- Clear bevel width indication
- Precision 45° milling head with 3 cutting edges (incl. cutting plates)
- Soft-grip front handle suitable for left- and right-handed users
- Electronic speed stabilization
- Anti-kickback and -breakthrough torque control (slow start)
- Quick and easy carbon brush replacement

Features



Adjustable speed



Overheat protection



Bevel width 0 - 6 mm



Accessories B45S



Carbide cutting plates
 Angle 30° & 45° (Sold per 10 pieces)

LKS.20



Carbide cutting plates
 R2.5 (Sold per 10 pieces)

LKS.20-R



Milling head

Angle 30°

B45S.1011A



Angle 45°

B45S.1011



R2.5

B45S.1011B



Magnetic digital level box

For measuring angles up to 90°

MLB.90