



STAY PROTECTED

Worktime

VARILAČKA ZAŠTITA GLAVE I OČJU WELDING HEAD AND EYES PROTECTION



LUX OPTICAL **SALAMANDER** 66800

SALAMANDER MASKA
Solarna ćelija
Zatamnivanje: od 9 do 13
Blago zatamnjenje: 3,4
Dimenzija prozora za gledanje:
97x47 mm
Brzina izmjene: 1/25000 S
Broj zatvarača: 2
Nisko amporni TIG rang 5
Kacića od poliamida/najlona
Vanjska kontrola zatamnivanja
Podesiva kaciga
Opcija: grind mod
Težina: 440 g
Originalno pakiranje: 1/10

SALAMANDER MASK
Solar cell
Variable shades from 9 to 13
Slight shade: 3,5
Size of the view window :
97x47mm
Changing time 1/25 000S
2 captors
Low amperage TIG rated 5A
Helmet in polyamide/nylon
External shade control
Adjustable helmet
Option: Grind mode
Weight: 440g



TOP QUALITY
PODESIVO ADJUSTABLE

Maska / Helmet Čelija / Cell
EN 175 EN 379



LACUNA WORKTIME **MASKA RUČNA** 501

VARILAČKA MASKA – RUČNA
Maska: izrađena od tvrdog PVC-a sa unutarnjim držačem
Ekran: termoplastika
Dimenzije stakla: 90x110 mm,
Težina: 300g
Originalno pakiranje: 1/50

INNER HANDLE WELDING MASK
Held with hand inside
Screen: Thermoplastic
Glass: 105x50 mm, interchangeable - 66200
90x110 mm, interchangeable - 10030.2
Weight: 300g
Original packaging: 50



EUROPE

EN 166 EN 175



LACUNA WORKTIME **MASKA NAGLAVNA** S800

VARILAČKA MASKA – NAGLAVNA
Naglavna maska: izrađena od tvrdog PVC-a, izrađena od termoplastike sa staklenim vlaknima, podesiva
Držanje: isporučuje se s priteznim zupčastim podesivim remenom
Dimenzije stakla: 110x90 mm
Težina: 360g
Originalno pakiranje: 1/20

WELDING HEADSET MASK WITH FIXED GLASS
Hood: Thermoplastic melted with glassfibres, liftable, sold with headguard
Maintain: Adjustable by rack
Glass: fix, 105x90 mm, interchangeable – 66500
Fix, 110x90 mm, interchangeable – 10630.2
Weight: 360g
Original packaging: 1/150



PODESIVO ADJUSTABLE
EUROPE

EN 166 EN 175



LACUNA WORKTIME **STAKLA**

STAKLA ZA VARILAČKU MASKU
PROZIRNA I TAMNA

WELDING MINERAL GLASS SCREENS
CLEAR AND DARK

EUROPE



EN 169

DIN	/PROZIRNA	/DIN9	/DIN10	/DIN 11	/DIN12	/DIN 13
Dimenzija 110*90	11156	11178.9	11178.10	11178.11	11178.12	11178.13
Norma	CE EN 166	CE EN 169	CE EN 169	CE EN 169	CE EN 169	CE EN 169

LUX OPTICAL **LUXAVIS** 60840

STAKLA ZAMJENJIVA
Okular: polikarbonat (carborock) bezbojan, ispučen
Zaštita: Bočna
Težina: 40g
Originalno pakiranje: 20/200
ZAMJENSKI BEZBOJNI OKULAR ZA LUXAVIS
Originalno pakiranje: 20/200

TOP QUALITY
OJAČANO HARD COATED
EUROPE



INTERCHANGABLE LENSES BY SCREW
Lens: Polycarbonate (Carborock), rounded
Protection: Side protection
Weight: 40g
Original packaging: 20/200
CLEAR SPARE LENSES FOR LUXAVIS
Original packaging: 20/200



EN 170

LUX OPTICAL **LUXAVIS 5** 60845

STAKLA ZAMJENJIVA
Okular: Neaktinski, taman, ispučen, zatamnjenost 5
Zaštita: Bočna
Težina: 80g
Originalno pakiranje: 20/200
ZAMJENSKI BEZBOJNI OKULAR ZA LUXAVIS 5
Originalno pakiranje: 20/200

TOP QUALITY
OJAČANO HARD COATED
IR 5
EUROPE



INTERCHANGABLE LENSES BY SCREW
Lens: Inactinic, rounded
Weight: 80g
Original packaging: 20/200
CLEAR SPARE LENSES FOR LUXAVIS 5
Original packaging: 20/200



EN 169

SODLUX / LUXAVIS / LUXAVIS 5 CE EN 166

Boja okvira Frame colour	Crna Black	Crna Black
Kod Ref	60840	60845
Oznaka okvira Frame markings	S	S
Boja leće Lens colour	Prozirna, ojačano Clear, reinforced solidity	IR5, ojačano IR5, reinforced solidity
Oznaka leće Lens markings	1S	5 2
Europska norma leće Lens standard	EN170	EN 169

LUX OPTICAL

DOULUX A

60800

VARILAČKE

Okvir: ABS
Prozračivanje: Bočno
Držanje: Gumena podesiva traka
Okular: ø50, Protane 5
Težina: 80g
Originalno pakiranje: 25/200

WELDING

Frame: ABS
Ventilation: Sides
Lens: ø50, Protane 5
Headband: Adjustable elastic
Weight: 80g
Original packaging: 25/200



CE EN 169



LUX OPTICAL

DOULUX P

60801

PLASTIČNI OKVIR

Okvir: Plastični
Prozračivanje: Bočno
Držanje: Gumena podesiva traka
Okular: ø50, Protane 5
Težina: 80g
Originalno pakiranje: 25/200

PLASTIC FRAME

Frame: Plastic
Ventilation: Sides
Lens: ø50, Protane 5
Headband: Adjustable elastic
Weight: 80g
Original packaging: 25/200



CE EN 169



LUX OPTICAL

STAKLA

63000

63005

STAKLA ZA VARILAČKE

NAOČALE Ø 50
 63000 - prozirna,
 63005 - tamna
Originalno pakiranje: 20/250

WELDING GLASS

SCREENS Ø 50
 63000 - clear,
 63005 - dark
Original packaging: 20/250



CE EN 166



CE EN 169



DOULUX A / DOULUX P

CE EN 166

Boja okvira Frame colour	Crna Black	Crna Black
Kod Ref	60800	60801
Oznaka okvira Frame markings	F	S
Boja leće Lens colour	IR5, ojačano IR5, reinforced solidity	IR5, ojačano IR5, reinforced solidity
Oznaka leće Lens markings	5 1	5 2
Europska norma leće Lens standard	EN 169	EN 169

